



CLOVER

RETURNS MANAGEMENT
SOLUTIONS

FW012100US CERTIFIED-REFURBISHED USER MANUAL

Important Information About Your Refurbished Product

Notice to Customers: This product has been refurbished by Clover Environmental Solutions, LLC dba Clover Returns Management Solutions. We are committed to providing high-quality refurbished household products to meet your needs.

Terms and Conditions: Any terms and conditions set forth in the attached original OEM documentation may not apply to this remanufactured item. For the specific terms applicable to your purchase, please refer to the documentation provided at the time of purchase or visit www.refurbproductsupport.com

Additional Information:

- **Safety Notice:** Ensure you follow all safety instructions provided in the OEM documentation as they remain applicable to the safe operation of this remanufactured product.
- **Recycling and Disposal:** For information on proper disposal or recycling of this product please visit the manufacturer's website.

Contact Us: If you have any questions or concerns about your refurbished product, please reach out to us via:

Website: www.refurbproductsupport.com

Email: productsupport@cloveres.com

Phone: (844) 745-0760

This cover sheet is being provided to ensure clarity regarding the status and support of your refurbished product. The attached OEM documentation is provided for reference only.



iFLOOR 2 SERIES

Refurbished Cordless
Vacuum & Floor Washer






Refurbished Instruction Manual











*Actual product may differ from illustration.




www.refurbproductsupport.com


A**B-1****B-2**

C-1 	C-2 	C-3  Stop Working Start Again
C-4 	C-5 	C-6  Tineco solution
C-7 	C-8 	C-9 


C-10



C-11




D-1




D-2




D-3



D-4




①




②


D-5



①




②




③


D-6




D-7




D-8




D-9




D-10




D-11




D-12



D-13



E-1



CONTENTS

Important Safety Instructions.....	6
Specifications	9
Overview.....	9
Assembly	10
Operation.....	10
Maintenance	11
Troubleshooting.....	12

IMPORTANT SAFETY INSTRUCTIONS

SAVE THESE INSTRUCTIONS

Household use only.

When using an electrical appliance, basic precautions should always be followed, including the following:

READ ALL INSTRUCTIONS BEFORE USING (THIS APPLIANCE). Failure to follow the warnings and instructions may result in electric shock, fire and/or serious injury.

WARNING – To reduce the risk of fire, electric shock, or injury:

1. This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children should not play with the appliance. Cleaning and user maintenance shall not be performed by children without supervision.
2. The appliance is not to be used by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction.
3. Use only indoors, on non-carpeted floor surfaces such as vinyl, tile, sealed wood, etc. Be careful not to run over loose objects or edges of area rugs. Stalling the brush may result in premature belt failure.
4. Do not allow to be used as a toy. Close attention is necessary when used by or near children, pets or plants.
5. Use only as described in this manual. Use only manufacturer's recommended attachments.
6. Do not use with a damaged cord or plug. If appliance has been dropped, damaged, left outdoors, dropped into water, or is not working as it should, return it to a service center.
7. Do not handle charger, including charger plug, and charger terminals with wet hands.
8. Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
9. Keep hair, loose clothing, fingers, and all parts of your body away from openings and moving parts.
10. Use extra care when cleaning on stairs.
11. Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
12. Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
13. Do not use without filter.
14. Prevent unintentional activation. Ensure the switch is in the off-position before picking up or carrying the appliance. Carrying the appliance with your finger on the switch or energizing appliance that have the switch on invites accidents.

15. Always switch off the appliance before making any adjustments, changing accessories, or storing the appliance. Such preventive safety measures reduce the risk of starting the appliance accidentally.
16. Recharge only with the charger specified by Tineco. A charger that is suitable for one type of battery pack may create a risk of fire when used with another battery pack.
17. Use appliances only with specifically designated Tineco battery packs. Use of any other battery packs may create a risk of injury and fire.
18. Under abusive conditions, liquid may be ejected from the battery; avoid contact. If contact accidentally occurs, flush with water. If liquid comes into eye contact, seek medical help. Liquid ejected from the battery may cause irritation or burns.
19. Do not use a battery pack or appliance that is damaged or modified. Damaged or modified batteries may exhibit unpredictable behavior resulting in fire, explosion or risk of injury.
20. Do not expose a battery pack or appliance to fire or excessive temperature. Exposure to fire or temperature above 266°F (130°C) may cause an explosion.
21. Follow all charging instructions and do not charge the battery pack or appliance outside of the temperature range specified in the instructions. Charging improperly or at temperatures outside of the specified range may damage the battery and increase the risk of fire.
22. Have servicing performed by a qualified repair person using only identical replacement parts. This will ensure that the safety of the product is maintained.
23. This appliance contains battery cells that are non-replaceable. Do not modify or attempt to repair the appliance or the battery pack except as indicated in the instructions for use and care.
24. Always turn off this appliance before connecting or disconnecting the motorized nozzle.
25. Do not charge or store the appliance outdoors or inside the car. Only charge, store or use the battery in a dry indoor area where the temperature is higher than 39.2°F (4°C) but lower than 104°F (40°C). The charger is for indoor use only.
26. Do not use to pick up ultrafine particles, such as lime, cement, sawdust, gypsum powder, or ashes.
27. Do not use to pick up sharp objects, such as metallic nails, pieces of glass, metal paper clips, or pins.
28. Do not use to pick up hazardous material and chemicals, such as solvent, drain cleaner, strong acids, or strong alkali.
29. Stop using immediately if the appliance is overheating, making unusual noises, producing unusual odors, performing low suction, or leaks electricity.
30. Turn cleaner OFF and disconnect from electrical outlet for long-term storage.
31. Always clean the Dirty Water Tank after each use to avoid potential blockage, which may lead to low suction power, motor overheating, or reduce the service life of the appliance.
32. Store appropriately indoors in a dry place after use.
33. Do not place or submerge appliance in standing water or try to clean flooded areas.
34. All data and technical instructions of this manual are based on results from lab tests of Tineco or designated third parties. The company reserves all rights for final explanations.
35. The plug must be removed from the socket-outlet before cleaning or maintaining the appliance.
36. A hazard may occur if the appliance runs over the supply cord.
37. Do not use the appliance when the water depth is more than 5mm above the surface.

Range of Usage

1. The cordless hard floor cleaner is to be used on indoor hard floors, such as vinyl, tile, sealed wood, etc. Use on a rough surface may not get the best performance.
2. Keep your appliance away from heat sources, such as fireplace or heater, to avoid casing deformation.
3. Do not use to pick up flammable or combustible liquids, ultrafine particles, sharp objects, hazardous material, chemicals or anything that is burning or smoking, as described above.

About Cleaning Solution

1. A large amount of cleaning solution entering into the motor may cause damage to the appliance.
2. Add solution as instructed in the Product Operation section. We recommend using the provided cleaning solution. Do not use the product with acidic, alkaline solution, or any substances harmful to the environment.
3. Keep out of the reach of children. Avoid contact with eyes and skin, otherwise, rinse thoroughly with water. If irritation persists, seek medical advice. If product is swallowed seek medical advice.
4. Dirty water and solution disposal should comply with local environmental regulations.

About the Appliance

1. Do not modify or attempt to repair the appliance except as indicated in the instructions for operating and cleaning.
2. Charge the appliance with the Tineco adaptor. Input Voltage: AC 100-240V. Both high and low voltages can damage the adaptor, appliance, or even cause danger to the user.
3. Use extra care when cleaning on stairs.

4. Ensure that the Power Switch is in the OFF-position before picking up or carrying the appliance. Do not lay flat or lean the appliance so as to prevent dirty water from entering into the motor.
5. To avoid being tripped accidentally, please put away the appliance on the charging base.
6. Always install the Dirty Water Tank and Clean Water Tank properly before use.
7. Do not allow the appliance or charger to get wet to avoid risk of fire or injury caused by a short circuit.

TINECO/iFLOOR 2 Series

This appliance complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This appliance may not cause harmful interference, and (2) this appliance must accept any interference received, including interference that may cause undesired operation.

CAUTION: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital appliance, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- (1) Reorient or relocate the receiving antenna.
- (2) Increase the separation between the equipment and receiver.
- (3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- (4) Consult the dealer or an experienced radio/TV technician for help.

SPECIFICATIONS

Product	iFLOOR 2 Series
AC Input	100~240V
Voltage	22.2V== 2500mAh Lion
Rated Power	120W
Running Time	~22 mins
Charging Time	4-5 hrs
Water Flow Rate	Normal: about 50ml/min Spot: 100ml/min
CWT Capacity	17.92FL.OZ.(530ML)
DWT Capacity	13.53FL.OZ.(400ML)
Waterproof	IPX4

OVERVIEW

- 1 Switch Button
- 2 Spot Button
- 3 Clean Water Tank Release
- 4 Indicator Light
- 5 Dirty Water Tank Release
- 6 Dirty Water Tank Handle
- 7 Brush Roller Cover
- 8 Brush Roller
- 9 Solution Trigger
- 10 Tube
- 11 Handle Fix Screw
- 12 Clean Water Tank (CWT)
- 13 Dirty Water Tank (DWT)
- 14 Floater
- 15 Air Outlet Cover
- 16 Brush Rotator
- 17 Deodorizing & Cleaning Solution
- 18 Cleaning Tool
- 19 Adaptor
- 20 Self-cleaning Storage Tray

Fig.A

ASSEMBLY

How to Assemble/Disassemble

Note:

For water tank and brush assembly, please refer to "Operation" and "Maintenance".

- To assemble the handle, insert it into the appliance until you hear a click.
- In the event that the handle need to be disassembled, press the spring to release the handle with a tool (like a screwdriver) and lift the released handle from the appliance.

Fig.B-1

Fig.B-2

OPERATION

Preparing for Use

- Before first use, please charge the appliance for 4-5 hours (refer to "Charging Instructions" for details).

* Based on results from Tineco lab tests. Lab temperature 39.2°F (4°C) ~ 104°F (40°C). Use directly when you just need to absorb water; add water/solution when you need to deep clean the floor (refer to "Filling Clean Water Tank" for details).

- 1.Switch ON to start the appliance, pull the solution trigger to spray liquid as needed. To enter Spot mode, press SPOT button and pull the trigger to remove tough spots and stains with stronger spray.

Fig.C-1

- 2.Squeeze the Solution trigger when moving backward to spray liquid as needed.

Fig.C-2

- 3.The appliance will stop working when put uprightly and start running again when you recline.

* Do not recline more than 144° to protect against water leakage.

Fig.C-3

- 4.Place the appliance on the storage tray vertically after use.

Fig.C-4

Note:

- Do not vacuum foamed liquid.
- It takes about 5 mins to dry the floor in normal mode/8 mins in Spot mode, depending on cleaning environment.
- To dry the floor faster and avoid over wetting, please release the trigger after each spray of liquid.

Filling Clean Water Tank

- 1.Press the Clean Water Tank release button to remove it from the appliance.

Fig.C-5

- 2.Open the tank cap, fill the tank with tap water to Max line. When deep cleaning is necessary, add one bottle cap of solution to the CWT and tightly close the cap.

Fig.C-6

Note:

**Only use water under 140°F/60°C.
DO NOT USE HOT WATER.**

- 3.Place the tank back into the appliance. You should hear a "Click" if done correctly.

Fig.C-7

Emptying Dirty Water Tank

- 1.Press the Dirty Water Tank release button to remove it from the appliance.

Fig.C-8

- 2.Pour dirty water and debris out.

Fig.C-9

- 3.Place the tank back until you hear a click.

Fig.C-10

Charging Instructions

The indicator light will blink pink when it's low battery, please charge it.

- 1.To charge the appliance, connect the external charging cord to the main body and plug it into the wall outlet.

2.To avoid tripping hazards, please place the appliance on the charging base near a wall during charging.

Fig.C-11

Warning:

- Only charge the appliance with the adaptor supplied by Tineco.
- During long periods of not being used, the appliance must be charged once every 3 months for optimal performance. It may take 4-5 hours for a full charge.
- Store indoors in a dry place. Do not expose the appliance to sunlight or freezing temperatures. Recommended temperature range: 39.2°F (4°C) ~ 104°F (40°C).

Indicator

When in Use



Solid blue light: normal mode



Blinking blue light: spot mode



Blinking pink light: out of power



Rapidly blinking pink light:
brush roller is blocked, or DWT
is full



Solid red light: battery
is overheated, see
troubleshooting



Blinking red light: fault, see
troubleshooting

During Charging



Breathing blue light: charging

Charging Complete



Solid blue light for 2 minutes
then light off

Battery Disposal Warning:

- Remove the built-in battery before disposing.
- Switch OFF and disconnect plug from electrical outlet before removing the battery.
- Dispose of batteries properly and safely. DO NOT dispose of battery in fire, water, soil or trash compactor.
- Leaks from battery cells can occur under extreme conditions. If any liquid gets on the skin wash quickly with soap and water. If any liquid gets into the eyes, do not rub eyes, immediately flush them with clean water continuously for a minimum of 15 minutes. Seek medical attention immediately.

MAINTENANCE

Note:

- For optimal performance and to prevent odors, always **clean** and **dry** DWT, floater, filters, brush roller, brush roller cover **completely** after each use.
- Please make sure each part is installed correctly or the appliance may not work properly.
- After maintenance, place the appliance on the storage tray vertically. Do not expose the appliance to direct sunlight, and store it indoors in a dry place.

Main Body

1.To reduce the risk of injury, switch off before performing maintenance.

Fig.D-1

2.Use a cloth to clean the surface with a neutral detergent. The cloth should be dry to prevent water from entering the appliance.

Fig.D-2

Dirty Water Tank

1.Pink light rapidly blinking and dirty water reaching the MAX line indicates it's time to switch off the appliance.

2.Pull up the tank lid to empty the DWT. Use the cleaning tool to remove remaining debris. Rinse the inside of the DWT and place back into the appliance.

Fig.D-3

Filter & Floater

- 1.If the filter and the floater have been blocked, rinse with water.
- 2.Remove the filter from the tank lid, remove the floater, and rinse both parts with water.

Fig.D-4

Pre-filter

Grasp recessed area on each side of the pre-filter and pull upward. Rinse under running water and must be completely dry before recombining with the lid of the DWT.

* A spare sponge is provided with the Instruction Manual for convenient replacement.

Fig.D-5

Brush Roller Self-cleaning

- 1.Place the appliance on the storage tray, and plug the adaptor into the main body.
- 2.Press and hold the switch button for 3s and begin the self-cleaning process.
- 3.The appliance will automatically shut off once finished.

Fig.D-6

Note:

- For optimal performance, use quick self-cleaning function as often as needed.
- The Clean Water Tank should be at least 1/3 full of water.
- Please empty the Dirty Water Tank before and after self-cleaning.

Brush Roller Cover

- 1.Grab the front handle while pressing the button and pull upward to remove.

Fig.D-7

- 2.Rinse with water.

Fig.D-8

- 3.Grab the front handle while pressing the button and pull upward to remove.

Fig.D-9

Brush Roller

- 1.Remove the brush roller by grabbing the brush roller tab and pulling upward.

Fig.D-10

- 2.Remove the brush roller tab. Using the cleaning tool, remove the hair and debris wrapped around the roller and rinse with water. Replace the brush roller back onto the storage tray, and allow it to dry completely before reinstalling.

Fig.D-11

- 3.Remove hair and debris from the brush roller chamber and the opening with a tissue or a damp cloth.

Fig.D-12

- 4.Replace the brush roller by inserting the brush roller end into the right side of the holder, then lock the pull tab into place by pressing downward.

Fig.D-13

TROUBLESHOOTING

Problem	Solution
Weak suction	Empty the dirty water and then reinstall the DWT
	Clean the sponge and filter
	Remove blockages
	Too much wear of brush roller, please replace it
Abnormal motor sounds	Remove blockages
	Empty the dirty water and then reinstall the DWT
Appliance won't charge	Reinsert the adaptor correctly
Appliance won't spray	Refill CWT
	Install the CWT correctly

Problem	Solution
Air outlet cover is leaking water	Install the floater and the sponge correctly
	Empty the dirty water and then reinstall the DWT
	Allow the sponge to dry completely
	Remove blockages
	Use Tineco-provided cleaning solution or low foam solution
The appliance does not turn on/Blinking pink light	Charge the appliance
Solid red light	Restart after cooling down
Rapidly blinking pink light	Remove blockages or clean the DWT
Blinking red light	Use the original adaptor
	Contact customer service
The light blinks alternatively blue and red	Contact customer service